

- Pelaz S., Ditta G.S., Baumann E., Wisman E., and Yanofsky M.F., 2000, B and C floral organ identity functions require SEPALLATA MADS-box genes, *Nature*, 405(6783): 200-203.
<https://doi.org/10.1038/35012103>
- Pinyopich A., Ditta G.S., Savidge B., Liljegren S.J., Baumann E., Wisman E., and Yanofsky M.F., 2003, Assessing the redundancy of MADS-box genes during carpel and ovule development, *Nature*, 424(6944): 85-88.
<https://doi.org/10.1038/nature01741>
- Riechmann J.L., and Meyerowitz E.M., 1997, MADS domain proteins in plant development, *Biological Chemistry*, 378(10): 1079-1101.
- Sanders P.M., Bui A.Q., Weterings K., McIntire K.N., Hsu Y.C., Lee P.Y., Truong M.T., Beals T.P., and Goldberg R.B., 1999, Anther developmental defects in *Arabidopsis thaliana* male-sterile mutants, *Sexual Plant Reproduction*, 11(6): 297-322.
<https://doi.org/10.1007/s004970050158>
- Sanders P.M., Lee P.Y., Biesgen C., Boone J.D., Beals T.P., Weiler E.W., and Goldberg R.B., 2000, The *Arabidopsis* DELAYED DEHISCENCE1 gene encodes an enzyme in the jasmonic acid synthesis pathway, *The Plant Cell*, 12(7): 1041-1061.
<https://doi.org/10.1105/tpc.12.7.1041>
- Schieffhale U., Balasubramanian S., Sieber P., Chevalier D., Wisman E., and Schneitz K., 1999, Molecular analysis of NOZZLE, a gene involved in pattern formation and early sporogenesis during sex organ development in *Arabidopsis thaliana*, *Proceedings of the National Academy of Sciences*, 96(20): 11664-11669.
<https://doi.org/10.1073/pnas.96.20.11664>
- Schwarz-Sommer Z., Huijser P., Nacken W., Saedler H., and Sommer H., 1990, Genetic control of flower development by homeotic genes in *Antirrhinum majus*, *Science*, 250(4983): 931-936.
<https://doi.org/10.1126/science.250.4983.931>
- Shore P., and Sharrocks A.D., 1995, The MADS-box family of transcription factors, *European Journal of Biochemistry*, 229(1): 1-13.
<https://doi.org/10.1111/j.1432-1033.1995.tb0430.x>
- Stintzi A., and Browse J., 2000, The *Arabidopsis* male-sterile mutant, opr3, lacks the 12-oxophytodienoic acid reductase required for jasmonate synthesis, *Proceedings of the National Academy of Sciences*, 97(19): 10625-10630.
<https://doi.org/10.1073/pnas.190264497>
- Wetters S., 2020, Evo-devo of flowers and flowering genes: *Salvia* as a case study, Karlsruhe Institute of Technology (KIT), 2020: 1-92.
- Yang C., Xu Z., Song J., Conner K., Vizcay Barrena G., and Wilson Z.A., 2007, *Arabidopsis* MYB26/MALE sterile35 regulates secondary thickening in the endothecium and is essential for anther dehiscence, *The Plant Cell*, 19(2): 534-548.
<https://doi.org/10.1105/tpc.106.046391>
- Yang S.L., Xie L.F., Mao H.Z., Puah C.S., Yang W.C., Jiang L., Sundaresan V., and Ye D., 2003, Tapetum determinant1 is required for cell specialization in the *Arabidopsis* anther, *The Plant Cell*, 15(12): 2792-2804.
<https://doi.org/10.1105/tpc.016618>
- Yang W.C., Ye D., Xu J., and Sundaresan V., 1999, The SPOROCTELESS gene of *Arabidopsis* is required for initiation of sporogenesis and encodes a novel nuclear protein, *Genes & Development*, 13(16): 2108-2117.
<https://doi.org/10.1101/gad.13.16.2108>
- Zhang D., and Yang L., 2014, Specification of tapetum and microsporocyte cells within the anther, *Current Opinion in Plant Biology*, 17: 49-55.
<https://doi.org/10.1016/j.pbi.2013.11.001>
- Zhang W., Sun Y., Timofejeva L., Chen C., Grossniklaus U., and Ma H., 2006, Regulation of *Arabidopsis* tapetum development and function by dysfunctional tapetum1 (DYT1) encoding a putative bHLH transcription factor, *Development*, 133(16): 3085-3095.
<https://doi.org/10.1242/dev.02463>
- Zhao D.Z., Wang G.F., Speal B., and Ma H., 2002, The excess microsporocytes1 gene encodes a putative leucine-rich repeat receptor protein kinase that controls somatic and reproductive cell fates in the *Arabidopsis* anther, *Genes and Development*, 16(15): 2021-2031.
<https://doi.org/10.1101/gad.997902>
- Zhao F., Zheng Y.F., Zeng T., Sun R., Yang J.Y., Li Y., Ren D.T., Ma H., Xu Z.H., and Bai S.N., 2017, Phosphorylation of sporocyteless/nozzle by the MPK3/6 kinase is required for anther development, *Plant Physiology*, 173(4): 2265-2277.
<https://doi.org/10.1104/pp.16.01765>
- Zheng Z., Xia Q., Dauk M., Shen W., Selvaraj G., and Zou J., 2003, *Arabidopsis* AtGPAT1, a member of the membrane-bound glycerol-3-phosphate acyltransferase gene family, is essential for tapetum differentiation and male fertility, *The Plant Cell*, 15(8): 1872-1887.
<https://doi.org/10.1105/tpc.012427>

Disclaimer/Publisher's Note

The statements, opinions, and data contained in all publications are solely those of the individual authors and contributors and do not represent the views of the publishing house and/or its editors. The publisher and/or its editors disclaim all responsibility for any harm or damage to persons or property that may result from the application of ideas, methods, instructions, or products discussed in the content. Publisher remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.