

- Laursen P.B., and Jenkins D.G., 2002, The scientific basis for high-intensity interval training: optimising training programmes and maximising performance in highly trained endurance athletes, *Sports Medicine*, 32(1): 53-73.
<https://doi.org/10.2165/00007256-200232010-00003>
- Logan G.R.M., Harris N., Duncan S., and Schofield G., 2014, A review of adolescent high-intensity interval training, *Sports Medicine*, 44(8): 1071-1085.
<https://doi.org/10.1007/s40279-014-0187-5>
- Men J., Zou S.L., Ma J., Xiang C.M., Li S.F., and Wang J.L., 2023, Effects of high-intensity interval training on physical morphology, cardiorespiratory fitness and metabolic risk factors of cardiovascular disease in children and adolescents: a systematic review and meta-analysis, *PLoS One*, 18(5): e0271845.
<https://doi.org/10.1371/journal.pone.0271845>
- Michailidis Y., Ganotakis C., Moutsanos N., and Metaxas T., 2023, The effects of an HIIT program on young soccer players' physical performance (U-17), *International Journal of Sports Science & Coaching*, 18(4): 1155-1163.
- Milanović Z., Sporiš G., and Weston M., 2015, Effectiveness of high-intensity interval training (HIIT) and continuous endurance training for VO₂ max improvements: a systematic review and meta-analysis of controlled trials, *Sports Medicine*, 45(10): 1469-1481.
<https://doi.org/10.1007/s40279-015-0365-0>
- Racil G., Coquart J.B., Elmontassar W., Haddad M., Goebel R., Chaouachi A., and Chamari K., 2016, Greater effects of high-compared with moderate-intensity interval training on cardio-metabolic variables, blood leptin concentration and ratings of perceived exertion in obese adolescent females, *Biology of Sport*, 33(2): 145-152.
<https://doi.org/10.5604/20831862.1198633>
- Rønnestad B.R., Hansen J., Vegge G., Tønnessen E., and Slettaløkken G., 2015, Short intervals induce superior training adaptations compared with long intervals in cyclists-an effort-matched approach, *Scandinavian Journal of Medicine and Science in Sports*, 25(2): 143-151.
<https://doi.org/10.1111/sms.12165>
- Rumpf M.C., Lockie R.G., Cronin J.B., and Jalilvand F., 2016, Effect of different sprint training methods on sprint performance over various distances: a brief review, *Journal of Strength and Conditioning Research*, 30(6): 1767-1785.
<https://doi.org/10.1519/JSC.0000000000001245>
- Seiler S., 2010, What is best practice for training intensity and duration distribution in endurance athletes?, *International Journal of Sports Physiology and Performance*, 5(3): 276-291.
<https://doi.org/10.1123/ijsspp.5.3.276>
- Tomlin D.L., and Wenger H.A., 2001, The relationship between aerobic fitness and recovery from high-intensity intermittent exercise, *Sports Medicine*, 31(1): 1-11.
<https://doi.org/10.2165/00007256-200131010-00001>

Disclaimer/Publisher's Note



The statements, opinions, and data contained in all publications are solely those of the individual authors and contributors and do not represent the views of the publishing house and/or its editors. The publisher and/or its editors disclaim all responsibility for any harm or damage to persons or property that may result from the application of ideas, methods, instructions, or products discussed in the content. Publisher remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.
