

- Gahan L., Pauchet Y., Vogel H., and Heckel D., 2010, An ABC transporter mutation is correlated with insect resistance to *Bacillus thuringiensis* Cry1Ac toxin, PLoS Genetics, 6(12): e1001248.
<https://doi.org/10.1371/journal.pgen.1001248>
- Gassmann A., and Reisig D., 2022, Management of insect pests with Bt crops in the United States, Annual Review of Entomology, 68(1): 31-49.
<https://doi.org/10.1146/annurev-ento-120220-105502>
- Guan F., Zhang J., Shen H., Wang X., Padovan A., Walsh T., Tay W., Gordon K., James W., Czapak C., Otim M., Kachigamba D., and Wu Y., 2020, Whole-genome sequencing to detect mutations associated with resistance to insecticides and Bt proteins in *Spodoptera frugiperda*, Insect Science, 28(3): 627-638.
<https://doi.org/10.1111/1744-7917.12838>
- Guo Z.J., Sun D., Kang S., Zhou J.L., Gong L.J., Qin J.Y., Guo L., Zhu L.H., Bai Y., Luo L., and Zhang Y.J., 2019, CRISPR/Cas9-mediated knockout of both the *PxABCC2* and *PxABCC3* genes confers high-level resistance to *Bacillus thuringiensis* Cry1Ac toxin in the diamondback moth *Plutella xylostella* (L.), Insect Biochemistry and Molecular Biology, 107: 31-38.
<https://doi.org/10.1016/j.ibmb.2019.01.009>
- Heckel D.G., 2021, The essential and enigmatic role of ABC transporters in Bt resistance of noctuids and other insect pests of agriculture, Insect, 12(5): 389.
<https://doi.org/10.3390/insects12050389>
- Huang F., Andow D., and Buschman L., 2011, Success of the high-dose/refuge resistance management strategy after 15 years of Bt crop use in North America, Entomologia Experimentalis et Applicata, 140(1): 1-16.
<https://doi.org/10.1111/j.1570-7458.2011.01138.x>
- Huang Y.X., Qin Y., Feng H.Q., Wan P., and Li Z.H., 2017, Modeling the evolution of insect resistance to one- and two-toxin Bt-crops in spatially heterogeneous environments, Ecological Modelling, 347: 72-84.
<https://doi.org/10.1016/j.ecolmodel.2017.01.001>
- Jin L., Zhang H.N., Lu Y.H., Yang Y.H., Wu K.M., Tabashnik B., and Wu Y.D., 2014, Large-scale test of the natural refuge strategy for delaying insect resistance to transgenic Bt crops, Nature Biotechnology, 33: 169-174.
<https://doi.org/10.1038/nbt.3100>
- Jurat-Fuentes J., Heckel D., and Ferré J., 2021, Mechanisms of resistance to insecticidal proteins from *Bacillus thuringiensis*, Annual Review of Entomology, 66: 121-140.
<https://doi.org/10.1146/annurev-ento-052620-073348>
- Kain W., Cotto-Rivera R., and Wang P., 2022, Resistance of cabbage loopers to *Bacillus thuringiensis* (Bt) toxin Cry1F and to Dual-Bt toxin widestrike cotton plants, Applied and Environmental Microbiology, 88(20): e01194-22.
<https://doi.org/10.1128/aem.01194-22>
- Lazarte J., Valacco M., Moreno S., Salerno G., and Berón C., 2021, Molecular characterization of a *Bacillus thuringiensis* strain from argentina toxic against lepidoptera and coleoptera based on its whole-genome and Cry protein analysis, Journal of Invertebrate Pathology, 183: 107563.
<https://doi.org/10.1016/j.jip.2021.107563>
- Li Y.J., Wang C., Ge L., Hu C., Wu G.G., Sun Y., Song L.L., Wu X., Pan A.H., Xu Q.Q., Shi J.L., Liang J.G., and Li P., 2022, Environmental behaviors of *Bacillus thuringiensis* (Bt) insecticidal proteins and their effects on microbial ecology, Plants, 11(9): 1212.
<https://doi.org/10.3390/plants11091212>
- Lu K., Song Y., and Zeng R., 2020, The role of cytochrome P450-mediated detoxification in insect adaptation to xenobiotics, Current Opinion in Insect Science, 43: 103-107.
<https://doi.org/10.1016/j.cois.2020.11.004>
- Maksimov I., Blagova D., Veselova S., Sorokan A., Burkhanova G., Cherepanova E., Sarvarova E., Rumyantsev S., Alekseev V., and Khayrullin R., 2020, Recombinant *Bacillus subtilis* 26DCryChS line with gene *Btcry1Ia* encoding Cry1Ia toxin from *Bacillus thuringiensis* promotes integrated wheat defense against pathogen *Stagonospora nodorum* Berk. and greenbug *Schizaphis graminum* Rond., Biological Control, 144: 104242.
<https://doi.org/10.1016/j.biocontrol.2020.104242>
- Naik V., Kumbhare S., Kranthi S., Satija U., and Kranthi K., 2018, Field-evolved resistance of pink bollworm *Pectinophora gossypiella* (Saunders) (Lepidoptera: Gelechiidae) to transgenic *Bacillus thuringiensis* (Bt) cotton expressing crystal 1Ac (Cry1Ac) and Cry2Ab in India, Pest Management Science, 74(11): 2544-2554.
<https://doi.org/10.1002/ps.5038>
- Nauen R., Bass C., Feyereisen R., and Vontas J., 2021, The role of cytochrome P450s in insect toxicology and resistance, Annual Review of Entomology, 67: 105-124.
<https://doi.org/10.1146/annurev-ento-070621-061328>
- Oliveira J., Negri B., Hernández-Martínez P., Basso M., and Escriche B., 2023, Mpp23Aa/Xpp37Aa insecticidal proteins from *Bacillus thuringiensis* (Bacillales: Bacillaceae) are highly toxic to *Anthonomus grandis* (Coleoptera: Curculionidae) larvae, Toxins, 15(1): 55.
<https://doi.org/10.3390/toxins15010055>
- Paddock K., Pereira A., Finke D., Ericsson A., Hibbard B., and Shelby K., 2021, Host resistance to *Bacillus thuringiensis* is linked to altered bacterial community within a specialist insect herbivore, Molecular Ecology, 30: 5438-5453.
<https://doi.org/10.1111/mec.15875>
- Pinos D., Andrés-Garrido A., Ferré J., and Hernández-Martínez P., 2021, Response mechanisms of invertebrates to *Bacillus thuringiensis* and its pesticidal proteins, Microbiology and Molecular Biology Reviews, 85(1): 32.
<https://doi.org/10.1128/MMBR.00007-20>